

# Viking Incognito Solo Saddlebag Installation for Royal Enfield Super Meteor 650:




### Parts List:

|   |                              |    |
|---|------------------------------|----|
| A | Mounting Bracket             | x1 |
| B | Socket Head Bolt - M8 x 50mm | x2 |
| C | 8.4mm Spacer                 | x2 |

### Note:

- i. Tighten screws with the manufacturer's specified torque.
- ii. Make sure to use Loctite for the final step.
- iii. This Installation step shows the right-hand side, but the same steps apply to the left-hand side assembly.

### Parts Diagram:



Parts Diagram

### Installation Instructions:

#### Step 1:

Remove the OEM screw from the motorcycle. Refer to Fig 1.




Fig 1. Remove OEM Screw

Step 2:

Attach the Mounting Bracket (A) to the motorcycle fender using Socket Head Bolt - M8 x 50mm and 8.4mm Spacer. Refer to Fig 2.




Fig 2. Attaching the Mounting Bracket

### Step 3:

Use the pre-installed adapter plate in the back of the Viking Detachable Solo Bag to mount it on the bracket as shown in Fig 3. Press the Solo Bag onto the mounting pegs until it properly rests on the mounting bracket.

To release the bag, press the lever or pull the quick-release cord.




Fig 3. Attaching the bag to the bracket


### Tip:

The internal bracket locking system is behind the removable waterproof lining

The quick disconnect system is key lockable. Lock / unlock the quick disconnect system from inside the bag to secure your bag against theft.

### Warning:

Always lock the quick disconnect system when the bag is installed on the bike. Failure to lock the system may result in the bag detaching while riding, which can cause damage, injury, or even death. Locking the bag is not optional—it is a critical safety requirement.



Locking system located behind the waterproof liner

# Congratulations, your Viking Incognito Solo Saddlebag is installed and you are ready to ride!

## Warnings!

- Ensure the mounting peg bolts are securely tightened before riding to prevent accidents and maintain safety.
- Do not install if any of the mounting hardware is damaged or impaired.
- If you have any questions or concerns about the installation, call Viking Bags or consult a certified motorcycle mechanic.
- Ensure no part of the bag obstructs any of the moving parts of the bike
- Viking Bags is not liable for any damage or injury caused by improper installation or use of the product.
- Improper loading can cause vehicle handling problems, leading to death or severe injury.
- Periodically check for any signs the bags or bolts are loose and that no mounting kit parts are interfering your motorcycle's drive train, suspension, brakes, wheels, etc.

Last Update: 21 April, 2025